



BR-6428nS V5

**4-in-1 N300 Wi-Fi ,
Access Point, Range Extender, & WISP**

Wi-Fi 4 You.

N300

BR-6428nS V5

Wi-Fi 4

: IEEE 802.11n,

WISP,

BR-6428nS V5


BR-6428nS V5



4-in-1 Wi-Fi Router, Access Point, Range Extender, and WISP



BR-6428nS V5

4
WISP




, BR-6428nS V5

Wi-Fi



BR-6428nS



*

CD.

BR-6428nS V5
'WPS' Connect,

Wi-Fi

Push

CD,

iPad,

1 Just plug in the cables



2 Type the web access URL in your browser*



* Setup Wizard will guide you through setup.

3 Enjoy surfing the web



SPECIFICATIONS

BR-6428nS V5 4-in-1 N300 Wi-Fi Router, Access Point, Range Extender, & WISP

1 x RJ-45 10/100 Mbps WAN port 4 x RJ-45 10/100 Mbps LAN port

LED WPS/Reset
Power, Wireless , Internet, LNK/ACT for LAN, WPS

2 x antennas
2 MB NOR Flash, 8 MB RAM

DC 9V/0.4 A

/ 153.8()mm x 107()mm x 25()mm, 150g

802.11 b/g/n/
2.4GHz

2.4GHz: 300Mbps

2.4GHz:

- 11g (11Mbps): -79 ±2dBm
- 11g (54Mbps): -68±2dBm
- 11n(20MHz, MCS7): -67±2dBm
- 11n(40MHz, MCS7): -64±2dBm
- 11n:16dBm ±1dBm, 11g:17dbm ±1dBm

2.4GHz guest network x 1

WEP, WPA , WPA2, WPA-PSK & WPA2-PSK security
Hardware & software WPS configuration

- Multi-language user interface
- Remote management, access control
- System status and security log
- Firmware upgradable
- Smart Setup, no CD required

WAN Protocol: Dynamic IP, Static IP, PPPoE
Supports RJ-45 cable
Virtual Server, UPnP, DMZ

DHCP Server, Client, DHCP Client List, Address Reservation

DNS DynDns

Bandwidth Control, Host List, Access Schedule

Firewall SPI Firewall, IP and MAC Address Binding, Wireless MAC Filtering
Supports IPv4

2.4GHz guest network x 1

Wi-Fi Router , Access Point, Extender, WISP

CE, RoHS

: 10 - 90% (non-condensing)

: 32 - 104°F (0 - 40°C)